Abodo Vaaro® IR

Class A, Ignition Resistant
Extreme Performance Feature Timber



New Growth Feature Timbers

ABODO

INTRODUCING / Abodo Vaaro® IR

Ignition Resistant Natural Timber with Class A Fire Performance



Abodo Vaaro® is the only fire compliant*, ultra-durable timber available as a complete coated and tested product range – all from one trusted manufacturer.

In North America, Vaaro® IR:

- Meets up to Class A when tested to ASTM E2768
- Is an ignition resistant natural timber material
- Can be used in high fire risk WUI zones

Fire Performance	Vaaro IR has been extensively tested worldwide to major fire standards*, in coated and uncoated forms, before and after weathering. Meets up to Class A when tested to ASTM E2768
Leach Resistance	Very high leach resistance in exterior applications. Maintains classification following ASTM D2898 accelerated weathering
Durability	Excellent long term resistance to fungal decay, including a 40 Year Durability Warranty (subject to warranty conditions)
Coatings	Fully tested with Abodo Protector semi-transparent coating range**
Sustainability	Made from high grade Forest Stewardship Council® (FSC®) certified rapidly renewable New Zealand plantation timber
Processing	Can be re-machined after treatment, up to 1/8" (4mm) – subject to conditions***

- Suitable for exterior and interior applications
- Low-corrosivity to most metals
- Increased density and hardness
- All from a single manufacturer
- Low dimensional movement
- Non toxic, no heavy metals, sulphates, phosphates, boron or halogens

* Abodo's Vaaro has been tested to and has achieved AS/NZS 3837:1998 Type A and ISO 9705:2003 Group 1-S (NZ), AS 3959:2018 BAL29 and AS 5637.1:2015 Group 1 (AU), B-s2, d0 (LVG) / B-s1, d0 (Flatsawn) (EN 13501-1:2018) DRF EXT INT1 INT2 (EN 16755:2017) (UK+EU), and ASTM E84 Class A (USA) fire compliance standards.

** Testing may vary across markets.

*** Maximum 1/32" (1mm) off the face and ~3/32" (3mm) of the back with minimum 45/64" (18mm) nominal thickness for a finished board.

ABODO®

abodowood.com

See the Vaaro Product Guide for more information.
Go to abodowood.com/resources to download or scan the QR code here.

FSC® C010962