

ABODO

Carefully Crafted Timber



Abodo

Introduction	8
Our Philosophy	10

Timber by Abodo

Product Index	30
Architectural Products	32
Accessories	56
Profile Drawings	58



Abodo

Introduction

Carefully crafted timbers


Abodo produces high performance architectural and structural timbers, as designed by nature. We have a deep respect for our material, the people who use it and where it comes from. Our timbers stand the test of time, they are beautiful, durable and sustainable.

Lifetime beauty

Abodo timbers are crafted to be enjoyed for years to come. Designed to age with grace, our timbers have exceptional weatherability and maintain their durability and beauty for a lifetime.

With tomorrow in mind

Our timbers are harvested from sustainable plantation forests. They are crafted with respect from beginning to end – allowing us to meet today’s needs without disadvantaging future generations.



Our Philosophy

Our work begins in the forest

Reduced to its raw materials, a timber building is a part of nature. The timber from the trees, the forest, and the ground we stand on.

We believe in a lifetime model where the lasting benefits and beauty of timber can be fully realised when the environment is treated with the respect it deserves.

Timber is in our nature

At Abodo, we are on a mission for alternatives to what has long been considered normal. We are always searching for better ways to stay true to our craft and nature's design. Our vision is for all timbers to be safe, sustainable and cared for, like the forests they come from.




1.

Grow

Growing more for less

Our timbers are sustainably grown in New Zealand forests that we know and respect, whose rich soils and high annual rainfall ensure rapid growth.

We can grow double our domestic demand for timber on only 7% of New Zealand's land mass. It means more land can be reserved for virtually untouched natural forest. Meeting the needs of today, while maintaining precious biodiversity for tomorrow is what our craft demands.



2.

Mill

Take and replace

At harvest time, we apply our 30/30 principle. For every tree milled, we ensure it provides more than 30 years of service, which is as long as it takes to grow a replacement tree.



3.

Design

Design by nature

We take a leaf out of nature's book to design timbers that look better for longer. Grown trees experience resistance (like wind) perpendicular to the grain—so we cut some of our timber vertically for greater stability and less surface cracking. This means they age with grace.

Whether they are coloured or allowed to silver with time, Abodo timbers maintain their beauty for years to come.



4.

Enhance

Honest and transparent

Standard timbers have long been treated with known toxins like Chrome and Arsenic, often without anyone knowing how toxic they are. We search for and use safer alternatives that enhance timbers in a way that respects the environment and are safe to handle. We are 100% transparent about how safe our timbers really are.



5.

Build**Built to last**

We work with architects and builders to create beautiful natural structures. Our timbers are packaged and transported with the care they deserve, reducing the risk of damage to your investment. At Abodo, we provide detailed specifications and direct support to ensure installation is done right, with pride.



6.

Live

Enjoy for years

Our timbers help create beautiful spaces for people to live and work, safely and sustainably. Timber spaces feel better, because they are.

Abodo timbers are crafted to be durable and long lasting. With simple yearly maintenance, their beauty evolves slowly with time. Their exceptional weatherability means our timbers are enjoyed for decades.

End of life

When the time comes to return your home to nature, we lead the way in Extended Producer Responsibility (EPR). Rather than going to the landfill, in an industry first, we have partnered with Green Gorilla to recycle our timbers at the end of their life as carbon neutral fuel.



Project: Dodd Home
Architect: Hamish Dodd
Product: Vulcan Cladding finished with Protector Oil Ebony



Project: Vodafone Building, Tuam St, Christchurch
Architect: Jasmax
Product: Vulcan Cladding Protector Oil Teak



Timber by Abodo

Architectural Products

Cladding	32
Vulcan	34
Tundra	36
Decking	38
Vulcan	40
Sand	42
Screening	44
Vulcan	46
Sand	48
The Trubridge Designs	50
Panelling	52
Vulcan	54

Accessories


Accessories	56
-------------	----

Profile Drawings

Cladding Profiles	60
Decking Profiles	70
Screening Profiles	72
Panelling Profiles	80

Cladding

In a world of standardised homes, stand out naturally. With Abodo Cladding you can choose from a range of beautiful natural wood cladding products. We'll help you choose from a range of modern architectural profiles created from renewable timbers. Choose from horizontal or vertical cladding profiles and get the look you want using our range of natural timber finishes.



Project: Vodafone Building Christchurch, New Zealand
Architect: Jasmax
Product: Vulcan Cladding finished with Protector Oil Teak

Vulcan

Abodo Vulcan Cladding is our premium weatherboard timber. Created from Abodo's thermally modified New Zealand plantation timber for superior beauty, durability and weathering characteristics.

Modern, clean lines.

Profiles

- 1 WB12 Vertical
- 2 WB10 Horizontal
- 3 WB10 Vertical



Colours and Profiles

Colours

Vulcan Cladding is available factory pre-finished with Abodo Protector Oil, Sioo:x surface treatment or otherwise pre-primed for paint finish.



*Colours shown are indicative only, and may lighten on exposure to weather.

Sizes

Standard Stock Profiles:	WB12 - 138 x 20mm, 180 x 20mm, 90 x 40mm, 90 x 60mm
	WB10 - 145 x 20mm, 180 x 20mm
	AW62 - 180 x 20mm
Primed Profiles:	WB10P - 135 x 18, 180 x 18mm
	WB10FP - 180 x 18mm
	AW62P - 187 x 18mm
All oil finish profiles have band sawn face finish. All primed profiles have smooth dressed finish.	

Sustainability

Forest Stewardship Council (FSC) Certified.
Red List Free.
Declare Certified.

Tundra

Abodo Tundra Cladding is produced from New Zealand plantation Douglas Fir heartwood, sourced from forests in New Zealand's central North Island. The harsh winters of the central plateau yield a dense, stable timber, with rustic features and defects.

Rustic, full of character.

Profiles


- 1 AW61 Horizontal
- 2 AW51 Vertical



Colours and Profiles

Colours

Tundra Cladding is available factory pre-finished with Abodo Protector Oil or Sioo:x surface treatment. Lighter colours are recommended in weather exposed applications.



*Colours shown are indicative only, and may lighten on exposure to weather.

Sizes

Standard Stock Profiles:

- AW61 - 140 x 20mm
- AW51 - 135 x 20mm
- AW702 - 140 x 20mm
- AW507 - 135 x 30mm

All profiles have a band sawn face finish.

Sustainability

Forest Stewardship Council (FSC) Certified.
Red List Free.

Decking

Choose to stand out. Naturally. Welcome to the future in natural timber decking. With Abodo Decking Timber you can choose from a stable of beautiful wood decking products. We'll help you choose from a range of modern profiles, all created from renewable, certified wood products. Create a warm, natural exterior space in your home with Abodo Decking.



Project: Cave House, Wanganui, New Zealand
Builder: Masterbuilt
Product: Sand Decking finished with Protector Oil Pearl

Vulcan

Vulcan Decking is created from thermally modified New Zealand plantation timber and then treated with an organic preservative system that includes a water repellent for superior durability. The thermal modification process means Vulcan Decking has enhanced stability, reduced resin content and is a beautiful homogeneous brown colour.

Solid, mixed grain orientation.

Profile

DK16

Colours and Profiles

Colours

Note: product is supplied as standard uncoated. Factory machine coating is available on request and may be subject to minimum volumes.



Vulcan Uncoated



Vulcan Walnut



Vulcan Teak



Vulcan Pearl

*Colours are in Protector–Water Borne. Colours are indicative only and will fade/change with exposure to the weather. Uncoated timber will quickly fade to grey.

Sizes

Standard Stock Profiles: DK16 - 142 x 27mm (Grip tread face up)

Sustainability

Forest Stewardship Council (FSC) Certified. Red List Free.

Sand

Abodo Sand is our premium eco-timber decking product, and features vertical grain for natural stability and long term appearance. Sand Decking is a genuine eco alternative to hardwood decking with a silky smooth finish. A smooth face highlights the distinctive grain, and is easy to clean.

Durable, straight grained.



Profile

DK14S

Colours and Profiles

Colours

Sand Decking is available factory coated with Abodo Protector Oil or Sioo:x surface treatment.



Sand Pearl



Sand Teak

*Colours shown are indicative only, and may lighten on exposure to weather.

Sizes


Standard Stock Profiles: DK14S - 90 x 21mm, 115 x 21mm (Smooth face up)

Sustainability

Forest Stewardship Council (FSC) Certified.
Red List Free.

Screening

The Abodo Screening range brings the beauty of wood both inside and outside your home. Choose from a range of natural timbers designed for lifetime beauty.



Project: Vodafone Building Christchurch, New Zealand
Architect: Jasmax
Product: Vulcan Screening finished with Protector Oil Teak

Vulcan

Engineered from thermally modified plantation timber, with a unique vertical grain, Abodo's Vulcan Screening is a high performance natural timber screening. Designed to weather beautifully with time, Vulcan Screening is available in a number of profiles and shadow lines.

Modern, clean lines.

Profile

BAND4S



Colours and Profiles

Colours

Vulcan Screening is available factory coated with Abodo Protector Oil or Sioo:x surface treatment.



Vulcan Ebony



Vulcan Walnut



Vulcan Graphite



Vulcan Manuka



Vulcan Teak



Vulcan Patina



Vulcan Straw



Vulcan Sioo:x
(Weathered 12mo)

*Colours shown are indicative only, and may lighten on exposure to weather.

Sizes

Standard Profiles:

BANDS4S - 40 x 40mm, 42 x 18mm, 65 x 18mm, 88 x 18mm, 138 x 18mm, 180 x 18mm, 65 x 42mm, 88 x 42mm, 138 x 42mm, 180 x 42mm, 238 x 25mm, 88 x 88mm, 65 x 88mm

RHBC1 - 68 x 26mm, 90 x 26mm

*Other sizes on request and subject to approval

Sustainability

Forest Stewardship Council (FSC) Certified.
Red List Free.
Declare Certified.

Sand

A unique and versatile timber screening profile, Sand Screening can make also make an attractive facade or fence. Designed to allow airflow, but provide privacy, Sand Screening is a quirky and original timber screening solution. Other applications include ceiling lining and decorative applications. Sand Screening is suitable for vertical or horizontal applications.

Durable, straight grained.

Profile

RHB



Colours and Profiles

Colours

Sand Screening is available factory coated with Abodo Protector Oil or Sioo:x surface treatment.



Sand Pearl



Sand Teak

*Colours shown are indicative only, and may lighten on exposure to weather.

Sizes

Standard Stock Profiles: RHB - 68 x 26mm

Sustainability

Forest Stewardship Council (FSC) Certified.
Red List Free.

The Trubridge Designs

A designer range of paling and screening panels, the Trubridge selection of nature inspired profiles create a sophisticated exterior space. Each profile is individually cut to allow airflow and natural light while maintaining privacy. Other applications include ceiling lining and decorative interiors.



Profile

Maukoro Paling

Colours and Profiles

Colours

The Trubridge Design Screening is available factory coated with Abodo Protector Oil or Sioo:x surface treatment.



Vulcan Ebony



Vulcan Walnut



Vulcan Graphite



Vulcan Manuka



Vulcan Teak



Vulcan Patina



Vulcan Straw



Vulcan Sioo:x
(Weathered 12mo)

*Colours shown are indicative only, and may lighten on exposure to weather.

Sizes

Standard Profiles:	Nikau Paling - 90 x 19mm x 1800, 2100, 2400mm Maukoro Paling - 90 x 19mm x 1800, 2100, 2400mm
Timber Options:	Vulcan solid timber White Pine solid timber

Standard Profiles:	Hex Weave Plywood Tiles - 575 x 1170 x 12mm Hex Weave Plywood Panels - 1170 x 2390 x 12mm Pohuehue Plywood Tiles - 575 x 1170 x 12mm Pohuehue Plywood Panels - 1170 x 2390 x 12mm
Timber Options:	Vulcan Plywood White Pine Plywood (Vulcan Plywood is available with band sawn finish only)

Sustainability

Forest Stewardship Council (FSC) Certified.
Red List Free.
Declare Certified.

Panelling

Abodo Panelling brings of the warmth of wood to your ceiling or feature eave. Contrast the beauty of natural wood with harder materials to create a beautiful balance.



Project: Comiskey House, Brisbane, Australia
Architect: KP Architects
Product: Vulcan Cladding finished with Protector Oil Patina

Vulcan

Created from thermally modified plantation timber, Abodo's Vulcan Panelling is a lightweight, stable timber with excellent thermal characteristics. With a rich warmth and distinctive straight grain, Vulcan introduces the rich colour of nature into the room.

Modern, clean lines.



Profile

TG9

Colours and Profiles

Colours

Vulcan Panelling is available factory coated with Abodo Protector Oil in a range of colours.



Vulcan Uncoated



Vulcan Ebony



Vulcan Walnut



Vulcan Graphite



Vulcan Manuka



Vulcan Teak



Vulcan Patina



Vulcan Straw

*Colours shown are indicative only, and may lighten on exposure to weather.

Sizes

Standard Profiles:

TG9 - 135 x 10mm


Sustainability

Forest Stewardship Council (FSC) Certified.
 Red List Free.
 Declare Certified.

Accessories


Rejuvenator

Rejuvenator is a cleaner for use when your situation is dire. The ingredients are biodegradable and non-bio accumulative. Rejuvenator removes mould and brightens up your wood surface, simply by harnessing the power of nature.




Rhombus Clip

Specifically designed to be used with Rhombus Clip Screening, the Rhombus Clip provides a hidden fixing for decorative screening. No unsightly nail heads in sight.




Decking Screw—5.5mm x 60mm

A quality marine grade stainless steel decking screw designed for easy driving into Abodo timbers. A Torx head ensures a clean drive—even into denser timbers. Designed to countersink with a domed head for shedding water.




Sioo:x

Sioo:x uses nature to form a hard silicon based shell on exterior timber, which weathers to a beautiful silver grey. Sioo:x provides a long term weathered look without leaving your wood unprotected—and can last up to 10 years.




Protector—Water Borne

Protector—Water Borne is a high performance water borne exterior oil, designed to provide long lasting protection. This water borne oil is formulated to penetrate deeply into the timber surface and will provide long lasting colour to your timbers. Ideal for decking, weatherboards, cladding and exterior wood applications. Easy water based clean up.



Cladding Screw—4mm x 45mm

A high performance stainless steel cladding screw designed for easy driving into Abodo Cladding. A Torx head ensures a clean drive—even into denser timbers. Designed with a black powder coated countersunk head, the perfect durable, discrete fixing for cladding.



Profile Drawings

Cladding Profiles

Horizontal
AW62 Profile

1 180 x 20mm

Note: profile drawing is not
shown at actual size.



Vertical/Horizontal
WB10 Profile

1 145 x 20mm

2 180 x 20 mm


Note: profile drawing is not
shown at actual size.



Vertical/Horizontal
WB10P Profile
WB10FP Profile

- 1 WB10P: 135 x 18mm
- 2 WB10P: 180 x 18mm
- 3 WB10FP: 180 x 18mm

Note: profile drawing is not shown at actual size.



Vertical/Horizontal
AW62P Profile

- 1 AW62P: 187 x 18mm

Note: profile drawing is not shown at actual size.





Vertical
WB12 Profile

- 1 138 x 20mm
- 2 180 x 20mm
- 3 180 x 20mm (WB12F)
- 4 90 x 40mm
- 5 90 x 60mm

Combine any WB12 profile to
create a randomised pattern.

Note: profile drawing is not
shown at actual size.





**Vertical
AW51 Profile**

1 135 x 20mm

Note: profile drawing is not shown at actual size.



**Horizontal
AW61 Profile**

1 140 x 20mm

Note: profile drawing is not shown at actual size.

1




**Horizontal
AW702 Profile**

1 140 x 20mm

Note: profile drawing is not
shown at actual size.

1



**Vertical Shiplap
AW507 Profile**

1 135 x 30mm



Note: profile drawing is not
shown at actual size.

Decking Profiles

DK14S Profile

- 1 90 x 21mm
- 2 115 x 21mm


Note: profile drawing is not shown at actual size.



DK16 Profile

- 1 142 x 27mm

Note: profile drawing is not shown at actual size.




Screening Profiles



Vertical/Horizontal
RHB Profile

- 1 68 x 26mm

Note: profile drawing is not shown at actual size.





Vertical/Horizontal
RHBC1 Profile

- 1 68 x 26mm
2 90 x 26mm

Combine any RHBC1 profile to create a randomised pattern.

Note: profile drawing is not shown at actual size.




BAND4S Profile

- 1** 42 x 42mm
- 2** 65 x 18mm, 65 x 25mm, 65 x 32mm, 65 x 42mm, 65 x 65mm
- 3** 88 x 18mm, 88 x 25mm, 88 x 32mm, 88 x 42mm, 88 x 65mm

Note: profile drawing is not shown at actual size.

Additional sizes not pictured.



- 4** 138 x 18mm, 138 x 25mm, 138 x 32mm, 138 x 42mm, 138 x 65mm, 138 x 138mm
- 5** 180 x 18mm 180 x 25mm, 180 x 32mm, 180 x 42mm, 180 x 65mm, 180 x 88mm, 180 x 138mm

Note: profile drawing is not shown at actual size.



Additional sizes not pictured.

The Trubridge Designs

Hex Weave Screening Tile Profile

- 1 575 x 1170 x 12mm
- 2 1170 x 2390 x 12mm



Note: profile drawing is not shown at actual size.




Pohuehue Screening Tile Profile

- 1 575 x 1170 x 12mm
- 2 1170 x 2390 x 12mm

Note: profile drawing is not shown at actual size.





Maukoro Paling Profile


1 90 x 19 x 1800, 2100, 2400mm

Note: profile drawing is not shown at actual size.

Nikau Paling Profile

1 90 x 19 x 1800, 2100, 2400mm

Note: profile drawing is not shown at actual size.



Panelling Profiles

TG9 Profile

- 1 135 x 10mm
- 2 135 x 18mm
- 3 175 x 10mm

Note: profile drawing is not shown at actual size.

