

Certificate no: CMNZ70046

Version: 1

Original issue date: 30 April 2020

Version date: 08 August 2023

1. Certificate Holder Details



Abodo Wood Ltd

62 Ascot Road Mangere, Auckland 2022 New Zealand

Email: info@abodo.co.nz

Ph: +64 (0)9 302 9555

www.abodo.co.nz

2. Product Certification Body

Bureau Veritas Australia Pty Ltd

11/500 Collins Street

Melbourne VIC 3000 Australia

product.certification@bureauveritas.com

Ph: 1800 855 190

www.bureauveritas.com.au

Complaints: The complaints process for this certificate can be found here: www.bureauveritas.com.au/your-feedback

Sam Guindi – Bureau Veritas Product Certification Manager

Product Certificate

Abodo Weatherboard Cladding System



BUREAU
VERITAS

3. Description of Building Method or Product

Name of the product or method in Aotearoa New Zealand, including any brand names used. Description of what it is and the components that make up any system and its physical attributes including the materials and make-up of the product, where applicable. Matters that should be taken into account in the use or application of the building method or product can be found in item 6. Conditions and Limitations of Use. Continuation of description can be found in item 10 – Supporting Information about Description. [Delete if not applicable]. The building method's or building product's catalogue or model identification number or numbers or other unique identifiers that might be used to identify the building product or building method

The Abodo Weatherboard Cladding System consists of weatherboards fixed to cavity battens forming a drained cavity. Weatherboard profiles include Bevelback, Vertical Shiplap, Rusticated and Secret fixing. The weatherboards are available with a smooth dressed face (for a paint finish) or a light band sawn or brushed face (for a stain finish) and manufactured from a range of materials:

- Sand – H3.2 treated radiata pine
- Vulcan – thermally modified radiata pine
- Stratos – Azole treated radiata pine (H3.1)
- Tundra – Douglas fir heart wood

4. Intended use of Building Method or Product

Intended use of the building method or product as described in the product manual and other instructional materials. A statement of the function or purpose of the building method or product. Continuation of intended use can be found in item 11 – Supporting Information about Intended use. [Delete if not applicable]

Abodo Weatherboard Cladding Systems are exterior wall claddings on a drained cavity suitable for buildings:

- timber framed to NZS3604:2011 Timber framed buildings or steel framed to NASH Standard Part 2: May 2019 Light Steel Framed Buildings
- located in a wind zone up to and including Extra High wind zone (as specified in NZS3604)
- within the scope of Acceptable Solution E2/AS1 para 1.1, and with risk score not greater than 20
- located no closer than 1m from a relevant boundary
- in any exposure zone (excluding microclimates) (as specified in NZS3604)

5. New Zealand Building Code Provisions

The performance clauses of the New Zealand Building Code that are relevant to the intended use and with which the building method or product complies or contributes to (where used as part of a system).

How the building method or product complies or contributes can be found in item 8. Basis for Certification. Any qualifications on the extent of that compliance can be found in item 6. Conditions and limitations of use.

B1 Structure: B1.3.1; B1.3.2; B1.3.3(a, f, h, j); B1.3.4

B2 Durability: B2.3.1(b)

E2 External moisture: E2.3.2; E2.3.5 (contributes to); E2.3.7 (contributes to)

F2 Hazardous building materials: F2.3.1



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.

Certificate no: CMNZ70046

Version: 1

Original issue date: 30 April 2020

Version date: 08 August 2023

Product Certificate

Abodo Weatherboard Cladding System



6. Conditions and Limitations of Use

The building method or product's use is to be in accordance with the installation instructions and requirements against which the building method or product was assessed.

Conditions or limitations of conformity for the performance requirements the building method or product is compliant with, including any requirements for people with the qualifications and skills to install or use the building method or product, any known or demonstrated situations where the building method or product should not be used. A statement as to whether there are any matters that should be taken into account in the use or application of the building product or building method and, if so, what those matters are.

1. The Abodo Weatherboard Cladding System shall be installed and maintained according to Abodo CodeMark Weatherboard Cladding Manual April 2020
2. All joinery used in conjunction with the Abodo Weatherboard Cladding shall meet the requirements of NZS 4211:2008 Specification for performance of Windows
3. Stainless steel, copper or silicon bronze fixings shall be used for ACQ or Cu azole treated weatherboards (i.e. Sand)
4. Rigid wall underlay must be used:
 - in locations defined as Extra High Wind Zones
 - for external walls of attached garages that are unlined

Reference Documents:

Abodo CodeMark Weatherboard Cladding Manual April 2020

7. Health and Safety Information

Health, safety, and well-being declarations associated with installation, maintenance, and use of the building method or product, and their specific editions and dates necessary to ensure the performance requirements of clauses F1 to F9 of the Building Code can be met.

The compliance with any manufacturer's installation instructions, maintenance, OH & S Statements, MSDS's and other Health and Safety declarations will provide the necessary Health and Safety Information pertaining to the product.

8. Basis for Certification

How the performance requirements in the Building Code were met for each of the provisions. Where used as part of a system, the specific contribution to compliance.

B1 Structure: By comparison with weatherboard profiles specified in Acceptable Solution E2/AS1

B2 Durability: By assessment against the provisions of Acceptable Solutions B2/AS1 and E2/AS1, and testing and expert opinion with the provisions of Verification Method B2/VM1.

E2 External moisture: By comparison with the provisions of Acceptable Solution E2/AS1.

F2 Hazardous building materials: By comparison with accepted chemical preservative treatments specified by Acceptable Solution B2/AS1.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.



Certificate no: CMNZ70046

Version: 1

Original issue date: 30 April 2020

Version date: 08 August 2023

9. Supporting Documentation for Certification

Reference to any acceptable solutions, verification methods, New Zealand Standards, or other compliance pathways referenced against each individual performance requirement the building method or product is compliant with, and their specific version and date. Reference to documents describing tests and evaluations and any other documents relied on for certification or used to prove compliance, including their full title, specific version and date.

- Acceptable Solution E2/AS1 External Moisture
- Certified to WoodMark quality assurance programme for treated timber License Number 435
- Certified to AsureQuality Timber Treatment Programme Registration No:TTP31
- AFRC Opinion on Durability of Thermowood230 with Reference to AS5604-2005 2 August 2018
- EPH Test report 2216023-3 Test for Durability of Thermally Modified Radiata Pine 12 October 2016
- SCION Report The Durability of Thermowood Thermally Modified Wood - Results from Durability Tests After Eleven Years, July 2015
- AFRC Opinion on Durability of Douglas Fir Heartwood with Reference to AS5604-2005 8 August 2018
- SCION Report The Above Ground Durability of Cypress Species and Douglas Fir Grown on New Zealand Feb 2011
- Acceptable Solution B2/AS1 Durability
- NZS3602:2003 Timber and Wood-based Products for Use in Building
- NZS3640:2003 Chemical Preservation of Round and Sawn Timber
- Fletcher Test Report No. T511 Performance tests on 'Hector WB10" vertical and horizontal weatherboard cladding system in accordance with New Zealand Building Code E2/VM1



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.

Certificate no: CMNZ70046

Version: 1

Original issue date: 30 April 2020

Version date: 08 August 2023

Product Certificate

Abodo Weatherboard Cladding System



**BUREAU
VERITAS**

10. Supporting Information About Description (Optional)

Any supporting information for section 3.

The Abodo Weatherboard Cladding System includes the following weatherboard profiles:

Stain Finish

- Sand, Stratos, Vulcan,
 - Horizontal Bevelback: AW61, AW62
 - Horizontal Rusticated: AW67, AW68, AW700, AW701, AW702, AW703, AW704, AW705, AW706
 - Vertical Shiplap: AW50, AW51, AW52, AW53, AW54, AW55, AW56, AW57, AW58, AW59, AW60, AW507
 - Horizontal and Vertical WB10 Secret Fix: WB10
 - Vertical Fix WB12 Secret Fix: WB12, WB12F
- Tundra (Tundra is available in ex-150x25mm profiles only and is not available in WB10 or WB12)
 - Horizontal Bevelback: AW61
 - Horizontal Rusticated: AW67, AW702, AW703
 - Vertical Shiplap: AW50, AW51, AW53, AW55, AW58, AW503

Paint Finish

- Sand, Stratos, Vulcan
 - Horizontal Bevelback: AW61P, AW62P
 - Horizontal Rusticated: AW67P, AW68P
 - Vertical Shiplap: AW51P, AW52P
 - Horizontal and Vertical WB10 Secret Fix: WB10P, WB10FP

Other components of the system include:

- Battens: plain and castellated
- Mouldings
- Flashings
- Fixings
- Wall underlay and Rigid wall underlay (required in certain circumstances)

Refer to the Abodo CodeMark Weatherboard Cladding Manual April 2020 for details about these components



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.

Certificate no: CMNZ70046

Version: 1

Original issue date: 30 April 2020

Version date: 08 August 2023

Product Certificate

Abodo Weatherboard Cladding System



11. Supporting Information About Intended Use (Optional)

Any supporting information for section 4.

Further details regarding the use of the product can be found in the Abodo CodeMark Weatherboard Cladding Manual April 2020.

12. Supporting Information About Conditions and Limitations of Use (Optional)

Any supporting information for section 6.

Refer to Item 6

All CodeMark certificates that are current must be registered with MBIE. MBIE maintains a register of valid product certificates. [Please find the register here.](#)

If the certificate is not listed on this register or it appears as (SUSPENDED), it is not a valid CodeMark certificate and does not have to be accepted by a building consent authority as establishing compliance with the New Zealand Building Code.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.